

Communication Management Implementation

Texas A&M University

May 26th 2022

Agenda



What CM Is and Isn't




Implementation Questions



What's New & TAMU Customizations




Configuration & Performance




Questions / Open Discussion



What BCM Is and Isn't






Communication Tool


Communication Tool



Email



PDF Letter



Mobile Notification

Template Creator

Template Creator

Embedded Open Source Content Editor - CKEditor

- <https://ckeditor.com/>

Features:

HTML
Source Mode

Images

Fonts

Paste From
Word

Full Screen
Mode

Templates

Formatting
Tools

Data Fields

Population Creation

Population Creation

SQL Query

Banner Popsel

File Based

Point in Time vs.
Refreshed



.xls
.xlsx
.CSV

Communication Tracking

Communication Summary

Communication Job Summary

Completed

Start/ Scheduled Date May 18, 2022 04:58:30 PM

Job Started On May 18, 2022 04:59:00 PM

Job Ended On May 18, 2022 04:59:08 PM

Population Name FAID_SUM22_CPOS_UG_MAY18

Population Size 396

Template Name FAID_SUM22_CPOS_UG

Type Email

Data Field Parameters

Template Being Used FAID_SUM22_CPOS_UG

Organization FAID Scholarships and Financial Aid Main

Creator RFISHKIND

Group Send Summary

Group Send Summary

Completed Items 396

Processing Items 0

Error Items 0

Stopped Items 0

Total Items 396

Interactions

- ❖ Manual Interaction Tracking
e.g. student call to the
admissions office
- ❖ Interaction History - admin
view of all BCM
communications for a specific
student, including rendering of
the actual communication

Interactions

- ❖ Manual Interaction Tracking
e.g. student call to the admissions office
- ❖ Interaction History - admin view of all BCM communications for a specific student, including rendering of the actual communication

TO: ██████████ Phillips, Jay

Date Feb 15, 2018 01:38:14 PM

Channel Email

Template AD_EIS_TEST_EMAIL


Folder AD_EIS_TEST

Organization TAMU Root Organization

Created By JAYPHILLIPS

To jayphillips@tamu.edu

Subject CCM Testing



Security

MIN

Security

Web Tailor (SSB) Role-Based Security

- ❖ SSB Roles Control User Access
 - ❖ COMMUNICATIONADMIN
 - ❖ COMMUNICATIONCONTENTADMIN
 - ❖ COMMUNICATIONUSER

Task	Admin	Content Admin	User
Folders	M	Q*, Insert	Q*
Queries	M	M*	Q and Run*
Populations	Q, Delete	Q*, Delete Own	Q*
Templates	M	Q*, Copy*, M Own	Q*
Datafields	M	Q*, Insert*, M Own	Q and Test*
Communications	M	Send*, M Own	Send*, M Own
Interactions	Q, Manually Entry	Q, Manual Entry	Q, Manual Entry
Interaction Type	M		
Organizations	M		
Error Log	Q		
Comm Log	Q		

Implementation Questions

Implementation Questions

- Who Needs Access?
- What level of access is appropriate?
- Do you need more than one organization?
- Naming conventions for folders, templates, datafields etc.

What BCM Is NOT

What BCM Is NOT

- Customer Relationship Management (CRM) Application
 - Does not provide a holistic view of the students record
 - Unable to schedule recurring communications

What BCM Is NOT

- Customer Relationship Management (CRM) Application
- Does not provide a holistic view of the students record

What's New

What's New

- 9.7 Release June 2020
 - Share Populations
 - SMS Templates
- 9.7.1 Release August 2020
 - Application Health Check
- 9.7.2 Release March 2021
- 9.7.3 Release August 2021
- 9.7.4 Release March 2022

Texas A&M Customizations

Templates
For
Templates

Themed

Brand Guide
Colors

Brand Guide
Fonts

Fonts and Colors



```
1 /**
2  * @license Copyright (c) 2003-2013, CKSource - Frederico Knabben. All rights reserved.
3  * For licensing, see LICENSE.html or http://ckeditor.com/license
4  */
5
6 CKEDITOR.editorConfig = function( config ) {
7     // Define changes to default configuration here. For example:
8     // config.language = 'fr';
9     // config.uiColor = '#AADC6E';
10
11 config.contentsCss = '/css/tamu.css';
12 //config.contentsCss = 'https://compassxe-rsb-tst2.eis.tamu.edu/css/tamu.css';
13
14
15 config.font_names = 'Oswald/Oswald, sans-serif;' +
16     'Crimson Text/Crimson Text, Georgia, serif;' +
17     'Open Sans/Open Sans, Helvetica Neue, Helvetica, Arial, sans-serif' +
18     'Arial/Arial, sans-serif;' +
19     config.font_names;
20
21 config.colorButton_colors =
22     '500000,FFFFFF,332C2C,707373,D6D3C4,998542,744F28,5B6236,003C71,FCE300,E4002B';
23
24 config.format_tags = 'p;h1;h2;h3;pre;address;div';
25
26 config.format_h1 = {element: 'h1', attributes: {'class': 'tamu_h1'}};
27 config.format_h2 = {element: 'h2', attributes: {'class': 'tamu_h2'}};
28 config.format_h3 = {element: 'h3', attributes: {'class': 'tamu_h3'}};
29 config.format_p = {element: 'p', attributes: {'class': 'tamu_p'}};
30 };
```

Fonts and Colors

CKEDITOR.editorConfig

```
1 /**
2  * @license Copyright (c) 2003-2013, CKSource - Frederico Knabben. All rights reserved.
3  * For licensing, see LICENSE.html or http://ckeditor.com/license
4  */
5
6 CKEDITOR.editorConfig = function( config ) {
7     // Define changes to default configuration here. For example:
8     // config.language = 'fr';
9     // config.uiColor = '#AADC6E';
10
11 config.contentsCss = '/css/tamu.css';
12 //config.contentsCss = 'https://compassxe-rsb-tst2.eis.tamu.edu/css/tamu.css';
13
14
15 config.font_names = 'Oswald/Oswald, sans-serif;' +
16     'Crimson Text/Crimson Text, Georgia, serif;' +
17     'Open Sans/Open Sans, Helvetica Neue, Helvetica, Arial, sans-serif' +
18     'Arial/Arial, sans-serif;' +
19     config.font_names;
20
21 config.colorButton_colors =
22     '500000,FFFFFF,332C2C,707373,D6D3C4,998542,744F28,5B6236,003C71,FCE300,E4002B';
23
24 config.format_tags = 'p;h1;h2;h3;pre;address;div';
25
26 config.format_h1 = {element: 'h1', attributes: {'class': 'tamu_h1'}};
27 config.format_h2 = {element: 'h2', attributes: {'class': 'tamu_h2'}};
28 config.format_h3 = {element: 'h3', attributes: {'class': 'tamu_h3'}};
29 config.format_p = {element: 'p', attributes: {'class': 'tamu_p'}};
30 };
```

Fonts

Colors

Style Tags

**Configuration
&
Performance**

Configuration

- 6 RSB Servers running the UI for Communication Management
 - Email engine is turned OFF by changing the placeholder to false.
- 2 Bulk Mail Servers which run the email engine
 - Email engine is turned ON by changing the placeholder to true.

Performance

- 60,000+ Email Campaigns
- Runtimes were between 55 minutes and 115 minutes
- 934 emails sent per minute on average

**Questions
&
Discussion**

Jay Phillips

Jay@tamu.edu